

The Deep-Sea Tube Worm - A Case Study in Taxonomic Reclassification

Background:

Deep-sea tube worms, belonging to the family Siboglinidae, are annelids uniquely adapted for the harsh conditions surrounding hydrothermal vents. Lacking a recognizable gut in their adult stages, these invertebrates proved to be quite the mystery, and have been subject to extensive taxonomic reclassification.

In the past, the lifeform was regarded as an entire phylum of its own, known as Pogonophora. As time progressed, however, it was discovered that these worms feature chaetae and segmentation at their posterior ends, characteristic of polychaetes. This knowledge led to thorough review of their taxonomy, eventually landing them as a family within the phylum Annelida.





Figure 1. Posterior end of a tube worm.



Why Does this Matter?

The case of the deep-sea tube worm is a perfect example of the ever-changing nature of science, and can be used as a perspective point when observing other studies. Scientists, such as the taxonomists in this case, must keep an open mind when their hypotheses are rejected and their data runs contrary to their predictions. When seeing the opposite of this reticence, readers and learners should take note, as this indicates a fundamental misunderstanding of the field.

Learning Use

The example offered here could be utilized by teachers and learners to realize the idea of science’s frequent shifts. While many understand this aspect abstractly, it is oftentimes difficult to see it as anything other than theoretical. Offering an example where science actually *did* change could allow for a better understanding of this flexibility.

Connections: “*Scientific knowledge can change when new evidence becomes available.*”

Adaptability is an essential trait for a scientist to have, and scientists must be willing to reject previous notions in place of more substantiated ones. Taxonomy, in particular, is ever-changing, continuously being updated when new information is found.

When faced with the idea that Pogonophora may be inaccurate as a phylum, taxonomists did not reject those doubts. Instead, they adjusted, researched, and reclassified, birthing the family Siboglinidae we know today. This reticence to change and rejection of bias is essential to science as a whole – without it, the field would stagnate, and we wouldn’t know what we do about the world today.

References:

Pleijel, F., Dahlgren, T. G., & Rouse, G. W. (2009). Progress in systematics: from Siboglinidae to Pogonophora and Vestimentifera and back to Siboglinidae. *Comptes Rendus*, 332, 140–148. <https://doi.org/10.1016/j.crv.2008.10.007>

Rouse, G. W. & Fauchald, K. (1998). Recent Views on the Status, Delineation and Classification of the Annelida. *American Zoologist*, 38(6), 953–964. <http://www.jstor.org/stable/4620222>

Nørrevang, A. (1970). On the embryology of Siboglinum and its implications for the systematic position of the Pogonophora. *Sarsia*, 42(1), 7–16. <https://doi.org/10.1080/00364827.1970.10411159>